

L Number	Hits	Search Text	DB	Time stamp
3	137926	((709/(217,219,223).ccls.) or (725/(32,45-46).ccls.)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 17:09
4	13	((709/(217,219,223).ccls.) or (725/(32,45-46).ccls.)) and @ad<20001128) and (view\$4 or watch\$3) adj3 profile\$1! with (schedul\$3 or ((predetermin\$3 or specified) adj period))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 17:10
5	5	((709/(217,219,223).ccls.) or (725/(32,45-46).ccls.)) and @ad<20001128) and (view\$4 or watch\$3) adj profile\$1! same (set adj top adj box\$2!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 17:13
-	43	(view\$4 or watch\$3) adj profile\$1! same (set adj top adj box\$2!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 17:13
-	2	20020073419.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/08 14:44
-	7	(view\$4 or watch\$3) adj profile\$1! same (set adj top adj box\$2!) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 09:58
-	1	(view\$4 or watch\$3) adj profile\$1! same (set adj top adj box\$2!) and @ad<20001128 and (schedul\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:04
-	0	(view\$4 or watch\$3) adj3 profile\$1! with (schedul\$3) same (set adj top adj box\$2!) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:09
-	0	(construct\$3 or correlat\$3 or generat\$3 or creat\$3) adj5 profile\$1! with (schedul\$3) same (set adj top adj box\$2!) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:06
-	2	(construct\$3 or correlat\$3 or generat\$3 or creat\$3) with profile\$1! with (schedul\$3) same (set adj top adj box\$2!) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:07
-	2	(construct\$3 or correlat\$3 or generat\$3 or creat\$3) with profile\$1! with (schedul\$3 or ((predetermin\$3 or specified) adj period)) same (set adj top adj box\$2!) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:08
-	169	(construct\$3 or correlat\$3 or generat\$3 or creat\$3) with profile\$1! with (schedul\$3 or ((predetermin\$3 or specified) adj period)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 10:09
-	20	(view\$4 or watch\$3) adj3 profile\$1! with (schedul\$3 or ((predetermin\$3 or specified) adj period)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 17:10
-	260	receiv\$3 adj4 (program adj schedule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/09 13:52

-	153	receiv\$3 adj4 (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 15:38
-	2	receiv\$3 adj4 (program adj schedule) with profile and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 15:59
-	3	view\$3 with (program adj schedule) with profile and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:03
-	228	view\$3 with (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:04
-	1	track\$3 adj5 (watch\$3 or view\$3) with (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:13
-	7656	track\$3 adj5 (watch\$3 or view\$3) samr (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:14
-	3	track\$3 adj5 (watch\$3 or view\$3) same (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:17
-	6	(watch\$3 or view\$3) near4 profile same (program adj schedule) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 16:17
-	0	threshold near4 set44 near4 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:15
-	0	threshold near4 set\$4 near4 (viewer or client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:16
-	2474	threshold near4 set\$4 near4 (viewer or client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:16
-	0	725/32.ccls. and threshold near4 set\$4 near4 (viewer or client or user) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:17
-	1310	threshold near4 set\$4 near4 (viewer or client or user) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:17
-	0	threshold near4 set\$4 near4 (viewer or client or user) and @ad<20001128 with (track\$3 near5 activity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:18

-	0	(threshold near4 set\$4 near4 (viewer or client or user) with (track\$3 near5 activity)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:18
-	0	(threshold near4 set\$4 near4 (viewer or client or user) with (track\$3 with activity)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:18
-	0	(threshold near4 set\$4 near4 (viewer or client or user) same (track\$3 with activity)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:19
-	6	(threshold near4 set\$4 near4 (viewer or client or user) with (track\$3)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:23
-	0	(threshold near4 set\$4 near4 (viewer or client or user) same (set-top same (track\$3))) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:24
-	0	(threshold near4 set\$4 near4 (viewer or client or user) same (set-top)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:25
-	16	(threshold near4 set\$4 near4 (viewer or client or user) and (set-top)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:26
-	25	((threshold or (time adj period))near4 set\$4 near4 (viewer or client or user) and (set-top)) and @ad<20001128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:26